

# ***FLATOUT***

## **LAND ROLLERS**



**OzValue AG**  
MACHINERY



# FIXED ROLLERS



1. 75mm Bearings

2. Adjustable Drawbar

3. Removable Drawbar

Model	Working Width	Roller Diameter	Transport Width	Weight	Roller Thickness
FR1012	3.0m (10')	1020mm (40")	3.3m	1.2 - 2.4T	12, 16 or 25mm
FR1212	3.6m (12')	1020mm (40")	3.9m	1.4 - 2.6T	12, 16 or 25mm
FR1412	4.2m (14')	1020mm (40")	4.5m	1.6 - 2.9T	12, 16 or 25mm
FR1612	4.8m (16')	1020mm (40")	5.1m	1.9 - 3.5T	12, 16 or 25mm
FR2012	6.1m (20')	1020mm (40")	6.4m	2.4 - 5.0T	12, 16 or 25mm

Custom widths and roller sizes are available by special order

Specs are approximate and subject to change

# TRI-PLEX ROLLERS

## MORE ROLLER. LESS MONEY.

With machinery costs increasing, Oz Value Ag offers Land Rollers at a more affordable price than ever.

The simple robust design, allows the machine to stay in the field when it is most needed. 75mm bearings and an RHS frame are just some of the features of this machine. Drum options consist of 12mm, 16mm and 25mm offering ground pressures up to 1000kg per meter, ideal for rolling lentils, peas and beans. The three section design of the Tri-Plex Roller provides an even roll with overlap in between each of the rollers.



Model	Working Width	Roller Diameter	Transport Width	Weight	Roller Thickness
TP3216	9.75m (32')	1020mm (40")	4.00m	8.3T	16mm
TP4216	12.8m (42')	1020mm (40")	4.15m	9.6T	16mm
TP5216	15.8m (52')	1020mm (40")	4.55m	11.5T	16mm

Specs are approximate and subject to change

Custom widths and roller sizes are available by special order



1. Hydraulic Locking Frame




2. Narrow Transport Width



3. Floating Drawbar



4. Twin Lock Mechanism



5. Removable Shafts



6. Adjustable Scrapers



# TWIST ROLLERS



Transport Mode (Closed)



Working Mode (Opened)



1. Hydraulic Transport Wheels



2. Hydraulic Drawbar Swivel



3. Adjustable Drawbar

Model	Working Width	Roller Diameter	Transport Width	Weight	Roller Thickness
TR2012	6.1m (20')	1020mm (40")	2.5m	3.8T	16mm

Specs are approximate and subject to change

Custom widths and roller sizes are available by special order





## "We're farmers too"

We know more than ever, farming in Australia has become highly dependent on machinery cost and reliability. This is why OzValue AG we're committed to bringing the farmers of Australia, well priced quality machinery.

We are working farmers ourselves and fully understand what's required from modern farm machinery. Our team continues to design and source robust machinery from quality manufacturers around the world. We then sell direct to the farmer, eliminating importers and distributors and their added costs.

**This simply results in a lower price for you, the farmer.**



### OzValue AG Australia

6 Wiltshire Lane. Delacombe (Ballarat) VIC 3350

P. 03 5335 8181

E. [sales@ozvalueag.com.au](mailto:sales@ozvalueag.com.au)

[ozvalueag.com.au](http://ozvalueag.com.au)